

Epidemiology/Health Services Research activities at the International Investigative Dermatology 2008 Meeting in Kyoto

Wednesday, May 14th

International Dermato-Epidemiology Association Symposium

Time: 12pm to 2pm

Venue: Kyoto International Conference Center, Room B-2

Presentations will be 10 minutes plus 3 minutes for questions

Chairpersons: Hywel Williams (UK) and Suephy Chen (USA)

Time: Abstract number, title and presenter

- | | |
|----------|---|
| 12.00 pm | 473: Development and testing of Skindex-Teen: a quality-of-life instrument for adolescents with skin disease
A C Smidt |
| 12.13 | 501: The prevalence of antibullous pemphigoid 180 and 230 antibodies in an Olmsted county population – an epidemiological study
N Comfere |
| 12.26 | 522: Cutaneous soft tissue sarcoma incidence patterns in the surveillance, epidemiology, and end results program, 1978-2004: an analysis of 12,114 cases
P Rouhani |
| 12.39 | 477: Prevalence of atopic dermatitis determined by clinical examination in Japanese adults
H Saeki |
| 12.52 | 518: The burden of auto-immune disease: A pilot comparison of prevalence ratios in patients with psoriatic arthritis and psoriasis
M Kazanis |
| 13.05 | 521: Germline mutations in the fumarate hydratase gene confer a predisposition to uterine fibroids in women with hereditary leiomyomatosis and renal cell cancer
L Stewart |
| 13.18 | 480: A randomized, controlled trial evaluating adherence to topical medications using electronic monitoring and text-message reminders
A W Armstrong (presented by M. Kazanis) |
| 13.31 | 510: An assessment of dermatology term coverage in existing general medical terminologies and a comparison of two specialist-created dermatology lexicons
N A Shah |
| 13.44 | 511: US Dermatology resident training satisfaction is positively associated with mentoring: survey results from a national conference in 2005 and 2006
S R Freeman |
| 13.57 | Closing remarks from the chairs |
| 14.00 | End of session |

Thursday 15th May
11.00am-12.30pm
Plenary Session 2 (Main Hall)

485	Incidence of stroke in patients with psoriasis: a population study R S Azfar
-----	---

Saturday 17th May

3.30 to 5.54 pm, Room B-1

Concurrent Minisymposium 14: Epidemiology and Health Services Research

Chairs: Masutaka Furue (Japan), Suephy Chen (USA) & Hywel Williams (UK)

474	Incidence and mortality of bullous pemphigoid and pemphigus vulgaris in the UK S M Langan
475	Development of a quality of life measure specific for epidermolysis bullosa D F Murrell
486	Prevalence of atherosclerotic diseases in patients with psoriasis: a population-based study using the General Practice Research Database D B Shin
487	Oestrogens, oral contraceptives and hormonal replacement therapy increase the incidence of cutaneous melanoma: a population based case control study T Nijsten
497	A large cohort study of nonsteroidal anti-inflammatory drug use and melanoma incidence M Asgari
498	Melanocortin 1 receptor variants and severity of facial skin photoageing in French Caucasian women A Elfakir
499	Sagging of facial skin is associated with polymorphisms in MC1R gene and Ser422Gly polymorphism in ELN gene J Latrelle
504	Antibiotic exposure in infancy is a risk factor for incident atopic eczema in the second year of life. A population-based cohort study J Schmitt
506	Natural history and malignant progression of actinic keratoses: the VATTC Trial M A Weinstock
507	Validity, reliability, and sensitivity-to-change properties of the psoriatic arthritis screening and evaluation (PASE) questionnaire P L Dominguez
513	Immunosuppression with mycophenolatemofetil instead of azathioprine significantly reduces the risk of skin cancer in kidney transplant recipients H C Wisgerhof
514	The German network for systemic scleroderma: new data on disease subsets and organ involvement from more than 2000 patients P Moinzadeh

Posters

472	Establishing an interface between a multidisciplinary psoriasis center and community-based participatory research in psoriasis: A new paradigm N J Korman
476	Determinants of spot and wrinkle formation in German and Japanese women A Schofer
478	The Dermatology Life Quality Index (DLQI) is a unidimensional instrument: further data in support M K Basra
479	Analysis of gene-gene interaction within the filaggrin pathway E Rodriguez
481	Surgical monotherapy versus surgery plus adjuvant radiotherapy in high-risk cutaneous squamous cell carcinoma: A systematic review of available outcome data A Jambusaria-Pahlajani
482	Creation of a new psoriasis quality of life measure from five pre-existent instruments using Rasch analysis: the CALIPSO questionnaire F Sampogna
483	Clinical and laboratory profile of elderly patients with pruritic dermatoses A Cardones
484	Quality of life and burden of cutaneous disease in ectodermal dysplasia Z M Pressley
488	Comparison of interview based and EuroQoL derived utilities among patients with chronic pruritus S Kini
489	The burden of chronic pruritus is comparable to that of chronic pain using time trade-off derived health utilities L K DeLong
490	Predictors of sleep disturbance in patients with psoriasis K P Callis Duffin
491	The Japanese version of Cutaneous Body Image scale: Translation and validation Y Higaki
492	Sun exposure beliefs among public school students in Central New Jersey B Irwin
493	Nanotechnology safety A Nasir
494	Lipid peroxide is involved in induction of comedogenesis and inflammation in the progression of acne vulgaris T Tochio
495	Quantitative analysis of cutaneous <i>Malassezia</i> species in atopic dermatitis patients N Akaza
496	The comprehensive analysis of stratum corneum in the gluteal area of infants Y Miyauchi
500	Factors affecting sun protection and skin cancer prevention knowledge, attitudes and practices in Asian-Americans living in Northern California A S Chang
502	A clinical epidemiologic study of vitiligo in southern Taiwan C Wu

503	Long term use of aspirin but not statins is associated with decreased risk of cutaneous melanoma: A case-control study C Curiel-Lewandrowski
505	Changes of lip morphology with age differ in Caucasian and Asian women S Gardinier
507	Validity, reliability, and sensitivity-to-change properties of the psoriatic arthritis screening and evaluation (PASE) questionnaire P L Dominguez
508	Reliability of ectodermal dysplasia alopecia and fingernail severity instruments Z M Pressley
509	Development and reliability of a comprehensive questionnaire on the risk factors, epidemiology and comorbidities of psoriasis M F Yang
512	Patients with multiple solid organ transplants have a higher risk of skin cancer M Alam
515	A global, web-based patient survey tool profiling 171 patients with pemphigus vulgaris K Seiffert
516	Psoriatic arthritis: disposing, constitutive and provoking factors in 50 patients R E Schopf
517	Skin ageing in Hispanic women living in Boston F Morizot
519	Divorce/marriage ratio in patients with psoriasis compared to patients with other chronic medical conditions A B Kimball
520	Dermatology patient information on Google: an appraisal of the top three most highly ranked websites addressing each of the top ten most common dermatologic conditions J Jensen
523	Effects of sunless tanning products on tanning behaviours M McIlwain
524	Knowledge, attitudes and behaviours of elementary school students regarding sun safety after one year of a skin cancer education program P Rouhani

Please also remember the IDEA Congress in Nottingham 7th-9th September 2008

See <http://www.idea2008.net>

Hywel C Williams,

President of the International Dermato-Epidemiology Association

Contacts:

Hywel.williams@nottingham.ac.uk and Margaret.whittingham@nottingham.ac.uk